10 CORDLESS TOOLS

THE NEW SP MAX DRIVE POWER TOOL PROGRAM HAS BEEN DEVELOPED TO OFFER SUPERIOR PERFORMANCE TO AUTOMOTIVE, INDUSTRIAL AND TRADE APPLICATIONS. EACH SP MAX DRIVE TOOL OFFERS THE BEST COMPONENTRY FOR LONGEVITY AND DURABILITY FOR THE LIFE OF THE TOOL AND ARE RATED IN REAL WORKING TORQUE FOR REAL PERFORMANCE WITH OPTIMAL SIZE, WEIGHT AND COMFORT.

SUB-CATEGORIES:

12 VOLT CORDLESS

COMBO KITS	375
IMPACT WRENCHES	376
IMPACT DRIVERS	376
DRILLS	376
RATCHETS WRENCHES	377
INDUSTRIAL RIVETERS	377
CAULKING GUNS	378
CORDLESS LIGHTS	378
BATTERIES & CHARGERS	378

16 VOLT CORDLESS

COMBO KITS	379
IMPACT WRENCHES	380
IMPACT DRIVERS	380
DRILLS	380
RATCHETS WRENCHES	381
GASKET SANDERS, SANDERS & POLISHERS	381
RECIPROCATING SAW	382
CORDLESS LIGHTS	382
GREASE GUNS	383
BATTERIES & CHARGERS	383

18 VOLT CORDLESS

COMBO KITS	384
IMPACT WRENCHES	384
IMPACT DRIVERS	386
DRILLS	387
CUT OFF/ANGLE GRINDERS	387
INDUSTRIAL RIVETERS	388
GREASE GUNS	388
BATTERIES & CHARGERS	389

SP MAX DRIVE

MAX PERFORMANCE
MAX RUN TIME
MAX POWER

SP MAX CORE MICROPROCESSORS

The core to the SP Max Drive program are the Max Core microprocessors that offer the ultimate charger to battery to tool interface to improve outright performance. We have embedded microprocessors in all three components to give users longer run times, charge and discharge protection, intelligent current flow and temperature protection.

With SP Max Drive using Max Core technology we can offer more work time, more power, more recharges and ultimately better performing tools.

COMPONENT COMMUNICATION



BATTERY, CHARGER AND UNIT TALK TO EACH OTHER

SP MAX LITHIUM BATTERIES

The SP Max Drive cordless range is powered by next-gen INR chemistry battery cells. The INR chemistry combines the safety and low resistance of Manganese and the high energy capacity of Nickel. When we combine these cells with Max Core electronics, the result is a battery pack with superior performance and safety or in simple terms, the very best available.

MAX LITHIUM

12v

COMPACT, LIGHTWEIGHT & POWERFUL

This range is widely used in the automotive industries where size is important due to inaccessibility on today's vehicles and machinery. As most of the jobs are not repetitious, usually one battery will last the whole workday, so many of SP MAX DRIVE's 12V models are available with one or two batteries.

12V COMBO KITS

SP82146

12V MECHANICS POWER COMBO KIT 5 PIECE

SET INCLUDES

- 12v Mini 3/8''Dr Impact Wrench (P/N: SP81113BU)
- 12v Mini 1/4'' Hex Impact Driver (P/N: SP81141BU)
- 12v Mini 3/8''Dr (10mm) Drill Driver (P/N: SP81213BU)
- 12v Mini 3/8''Dr Ratchet Wrench (P/N: SP81613BU)
- 12v LED Work Light/Torch (P/N: SP81412BU)
- 2.0Ah Max Lithium Battery Packs - 2x (P/N: SP81981)
- 12v Charger (P/N: SP81893)

SP82144

12V MECHANICS POWER WRENCH COMBO KIT 2 PIECE

SET INCLUDES

- 12v Mini 3/8''Dr Impact Wrench (P/N: SP81113BU)
- 12v Mini 3/8''Dr Ratchet Wrench (P/N: SP81613BU)
- 10 Pc Metric Impact Socket Rail Set (P/N: SP20250)
- 2.0Ah Max Lithium Battery Packs - 2x (P/N: SP81981)
- 12v Charger (P/N: SP81893)

SP81114

12V 3/8"DR MINI IMPACT WRENCH KIT

SET INCLUDES

- 12v Mini 3/8''Dr Impact Wrench (P/N: SP81113BU)
- 10 Pc Metric Impact Socket Rail Set (P/N: SP20250)
- 2.0Ah Max Lithium Battery Packs - 2x (P/N: SP81981)
- 12v Charger (P/N: SP81893)

MORE COMBO KITS AVAILABLE

Head over to the SP Tools website to check out our latest promo combo kits on offer.

WWW.SPTOOLS.COM

12V IMPACT WRENCHES

SP81113

12V 3/8"DR MINI IMPACT WRENCH

TORQUE 105Nm

SPEED 2200RPM

- No-Load Speed: 2200rpm
- Torque: 105Nm
- Capacity: 3/8" (10mm)
- Variable speed trigger with brake
- Powerful motor delivers 105Nm of torque
- Ergonomic soft grip handle
- Built-in LED light illuminates work area
- Weight: 0.87kg (With Battery)
- Charging Time: 1 hour auto cut-off (±10min)

SET INCLUDES

- 12v Mini 3/8"Dr Impact Wrench
- 2.0Ah Max Lithium Battery Pack
- 12v Charger

COMPACT POWER

THE BEST COMBINATION OF VOLTAGE, POWER, TORQUE AND SIZE

ALSO AVAILABLE

SKIN ONLY

Battery & charger not included

SP81113BU

12V IMPACT DRIVERS

SP81141

12V 1/4" HEX MINI IMPACT DRIVER

TORQUE 90Nm

SPEED 2200RPM

- No-Load Speed: 2200rpm
- Torque: 90Nm
- Capacity: 1/4" (6mm)
- Variable speed trigger with brake
- Powerful motor delivers 90Nm of torque
- Ergonomic soft grip handle
- Built-in LED light illuminates work area
- Weight: 0.87kg (With Battery)
- Charging Time: 1 hour auto cut-off (±10min)

SET INCLUDES

- 12v Mini 1/4" Hex Impact Driver
- 2.0Ah Max Lithium Battery Pack
- 12v Charger

COMPACT POWER

THE BEST COMBINATION OF VOLTAGE, POWER, TORQUE AND SIZE

ALSO AVAILABLE

SKIN ONLY

Battery & charger not included

SP81141BU

12V DRILL DRIVERS

SP81213

12V 10MM DRILL DRIVER 2 SPEED

- No-Load Speed: Low - 0-700rpm. High 0-1700rpm
- Torque: 17Nm
- Adjustable Two speed controller
- Variable speed switch with brake
- Powerful motor delivers 17Nm of torque
- 10 selection clutch torque control
- Gear box with spindle lock function
- Single sleeve Keyless chuck
- Weight: 1.04kg (With Battery)

SET INCLUDES

- 12v Mini 3/8"Dr (10mm) Drill Driver
- 2.0Ah Max Lithium Battery Pack
- 12v Charger

SPEED Low: 0-700RPM High: 0-1700RPM

CLUTCH CONTROL 10 Torque Selections

TORQUE 17Nm

COMPACT POWER

THE BEST COMBINATION OF VOLTAGE, POWER, TORQUE AND SIZE

ALSO AVAILABLE

SKIN ONLY

Battery & charger not included

SP81213BU

© SP Tools Product Catalogue

12V RATCHET WRENCHES

SP81614

12V 3/8"DR MINI RATCHET WRENCH

COMPACT POWER

THE BEST COMBINATION OF VOLTAGE, POWER, TORQUE AND SIZE

- No-Load speed: 250rpm
- Torque: 54Nm
- Powerful motor delivers 54Nm of Torque
- Compact design for tight access areas
- Reversible
- Built-in LED light illuminates work area
- Ergonomic soft grip handle
- Weight: 1.00kg (With Battery)
- Charging Time: 1 hour auto cut-off (±10min)

TORQUE 54Nm | SPEED 250RPM

SET INCLUDES

- 12v Mini 3/8"Dr Ratchet Wrench
- 2.0Ah Max Lithium Battery Pack
- 12v Charger

ALSO AVAILABLE

SKIN ONLY

Battery & charger not included

SP81613BU

12V CORDLESS WORK LIGHTS

SP81412

12V WORK LIGHT/ FLASHLIGHT

- Adjustable head - 4 angle settings 90°, 120°, 150° & 180°
- Two light sources: 4pc LED light panel (40hrs @ 30Lux) & 28pc LED light panel (9Hrs @ 160Lux)
- Fold away hook
- LED life: 3000 hours

ADJUSTABLE HEAD
4 Angle Settings

SET INCLUDES

- 12v Work Light/Flashlight
- 2.0Ah Max Lithium Battery Pack

LUX 160 WORK LIGHT | 30 TORCH

FOLD AWAY HOOK

ALSO AVAILABLE

SKIN ONLY

Battery & charger not included

SP81412BU

12V BATTERY PACK

SP81981

12V BATTERY PACK LITHIUM-ION 2.0AH

The SP Max drive cordless range is powered by next-gen INR chemistry battery cells. The INR chemistry combines the safety and low resistance of Manganese and the high energy capacity of Nickel. When we combine these cells with Max Core electronics, the result is a battery pack with superior performance and safety or in simple terms, the very best available.

- Longer run time
- Less charging
- Power when you need it
- Stronger coated contacts
- Longer life - More than double the recharges of normal lithium batteries

MAX LITHIUM

12V CHARGER

SP81893

12V BATTERY CHARGER

SP multi function microprocessor controlled 12 volt battery charger features a 9 stage control and protection system

- Programmable over-charge voltage
- End of charge current
- Temperature cut-off
- Safety charging time
- Receive charge termination signal
- Over-charge voltage protection
- Over-charge current protection
- Short circuit protection

16v

COMPACT, LIGHTWEIGHT & POWERFUL

These are used when you need that extra power but still not as bulky as the bigger voltages.

16V COMBO KITS

SP82186

16V WORKSHOP PERFORMANCE COMBO KIT 5 PIECE

SET INCLUDES

- 16v Mini 3/8"Dr Impact Wrench (P/N: SP81119BU)
- 16v Mini 3/8"Dr (10mm) Drill Driver (P/N: SP81222BU)
- 16v Mini 1/4" Hex Impact Driver (P/N: SP81144BU)
- 16v Industrial Grease Gun (P/N: SP81512BU)
- 16v LED Work Light/Torch (P/N: SP81416BU)
- 2.0Ah Max Lithium Battery Packs - 2x (P/N: SP81983)
- 16v Charger (P/N: SP81985)

SP81120

16V 3/8"DR BRUSHLESS IMPACT WRENCH KIT

EXTREME TORQUE
392Nm

- No-Load Speed: 2300rpm
- EXTREME Torque: 392Nm
- Capacity: 3/8" (10mm)
- Variable speed trigger with brake
- Powerful motor delivers 392Nm of torque
- Ergonomic soft grip handle
- Fast Charge - Only 40 Mins

Patented "V" Type Hammer - Low Vibration

SET INCLUDES

- 16v 3/8"Dr Brushless Impact Wrench
- 10PC 3/8"Dr 6PT Impact Socket Rail Set (P/N: SP20250) 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm
- 2.0Ah Max Lithium Battery Packs - 2x (P/N: SP81983)
- 16v Charger (P/N: SP81985)

BRUSHLESS

COMPACT POWER

THE BEST COMBINATION OF VOLTAGE, POWER, TORQUE AND SIZE

ALSO AVAILABLE

SKIN ONLY

Battery & charger not included

SP81120BU

MORE COMBO KITS AVAILABLE

Head over to the SP Tools website to check out our latest promo combo kits on offer.

WWW.SPTOOLS.COM

© SP Tools Product Catalogue

16V IMPACT WRENCHES

SP81119

16V 3/8"DR MINI IMPACT WRENCH

TORQUE 185Nm

SPEED 2400RPM

- No-Load Speed: 2400rpm
- Torque: 185Nm
- Capacity: 3/8'' (10mm)
- Variable speed trigger with brake
- Powerful motor delivers 185Nm of torque
- Ergonomic soft grip handle
- Built-in LED light illuminates work area
- Weight: 0.93kg (With Battery)
- Charging Time: 1 hour auto cut-off (±10min)

SET INCLUDES

- 16v Mini 3/8''Dr Impact Wrench
- 2.0Ah Max Lithium Battery Pack
- 16v Charger

COMPACT POWER

THE BEST COMBINATION OF VOLTAGE, POWER, TORQUE AND SIZE

ALSO AVAILABLE

SKIN ONLY

Battery & charger not included

SP81119BU

16V IMPACT DRIVERS

SP81144

16V 1/4" HEX MINI IMPACT DRIVER

TORQUE 140Nm

SPEED 2300RPM

- No-Load Speed: 2300rpm
- Torque: 140Nm
- Capacity: 1/4'' (6mm)
- Variable speed trigger with brake
- Powerful motor delivers 140Nm of torque
- Ergonomic soft grip handle
- Built-in LED light illuminates work area
- Weight: 1.08kg (With Battery)
- Charging Time: 1 hour auto cut-off (±10min)

SET INCLUDES

- 16v Mini 1/4'' Hex Impact Driver
- 2.0Ah Max Lithium Battery Pack
- 16v Charger

COMPACT POWER

THE BEST COMBINATION OF VOLTAGE, POWER, TORQUE AND SIZE

ALSO AVAILABLE

SKIN ONLY

Battery & charger not included

SP81144BU

16V DRILL DRIVERS

SP81222BU

16V 10MM DRILL DRIVER 2 SPEED - SKIN ONLY

- No-Load Speed: Low - 0-360rpm. High 0-1550rpm
- Torque: 27Nm
- Two speed variable
- Aluminium clutch ring
- 4 pole motor delivers 27Nm of torque
- 11 selection clutch torque control
- Gear box with spindle lock function
- All steel single sleeve Keyless chuck
- Ergonomic soft grip handle
- Weight: 1.04kg (With Battery)
- Charging Time: 1 hour auto cut-off (±10min)

SET INCLUDES

- 16v Mini 3/8''Dr (10mm) Drill Driver

TORQUE 27Nm

SPEED Low: 0-360RPM High: 0-1550RPM

CLUTCH CONTROL 11 Torque Selections

KEYLESS CHUCK

COMPACT POWER

THE BEST COMBINATION OF VOLTAGE, POWER, TORQUE AND SIZE

SKIN ONLY

Battery & charger not included

16V RATCHET WRENCH

SP81623BU

16V 1/2"DR RATCHET WRENCH SKIN ONLY

TORQUE 120Nm

SPEED 180RPM

- No-Load speed: 180rpm
- Torque: 120Nm
- Capacity: 1/2" (12mm)
- Powerful 4 pole motor
- Adjustable speed trigger
- Ergonomic soft grip handle for comfortable use
- Weight: 1.50kg (With Battery)
- Charging Time: 1 hour auto cut-off (±10min)

SET INCLUDES

- 16v 1/2"Dr Ratchet Wrench

SKIN ONLY
Battery & charger not included

COMPACT POWER
THE BEST COMBINATION OF VOLTAGE, POWER, TORQUE AND SIZE

16V SANDER/POLISHER

SP81356BU

16V SANDER/POLISHER SKIN ONLY

INCLUDES SANDING & POLISHING ACCESSORIES

- Polisher No-Load speed: 0-1900rpm
- Sander No-Load speed: 0-1900rpm
- Polisher pad size: 3"
- Sander pad size: 2"
- Two speed gear box
- Variable speed switch
- Side handle included
- Ergonomic soft grip handle

SET INCLUDES

- 16V Polisher/Sander
- 1X Handle
- 1X Wrench
- 1X Sanding Pad
- 1X Polishing pad
- 1X Yellow Sponge Bonnet
- 1X White Sponge Bonnet
- 2X Sanding Disc - Coarse
- 2X Sanding Disc - Fine
- 2X Sanding Paper - #120
- 2X Sanding Paper - #80

POLISHER SPEED 1900RPM

SANDER SPEED 1900RPM

SKIN ONLY
Battery & charger not included

16V BELT SANDER

SP81350BU

16V BELT SANDER SKIN ONLY

SPEED 6500RPM

- No-Load speed: 6500rpm
- Capacity (belt sizes): 460 x 10mm & 330 x 10mm
- Two speed gear box
- Variable speed lever for control
- 9 position versatile adjustable arm for ease of use in tight confined spaces
- Quick change lock and release - Switch belts quickly and effortlessly

SET INCLUDES

- 16v Belt Sander - Skin Only
- 1x Belt support - 460 x 10mm
- 1x Belt support - 330 x 10mm
- 3x Sanding belt - 460 x 10mm
- 3x Sanding belt - 330 x 10mm

COMPACT POWER
THE BEST COMBINATION OF VOLTAGE, POWER, TORQUE AND SIZE

SKIN ONLY
Battery & charger not included

ADJUSTABLE ARM
9 lockable positions

© SP Tools Product Catalogue

16V RECIPROCATING SAW

SP81354BU

RECIPROCATING SAW SKIN ONLY

- No-Load speed: 0-3000spm
- Stroke length: 14mm
- Fast cutting action up to 3000 strokes per minute
- 14mm stroke length maximising user productivity
- Ergonomic soft grip handle
- Variable speed trigger with safety paddle switch
- Adjustable blade depth support
- Quick-release blade holder - no tools required
- Weight: 1.38kg (With Battery)
- Charging Time: 1 hour auto cut-off (±10min)

SET INCLUDES

- 16v Compact Reciprocating Saw
- Saw Blade 1x

COMPACT POWER

THE BEST COMBINATION OF VOLTAGE, POWER, TORQUE AND SIZE

SKIN ONLY
Battery & charger not included

QUICK BLADE RELEASE
No tools required

STROKE LENGTH

SPEED
3000 Strokes P/Min

16V GREASE GUNS

SP81513

16V INDUSTRIAL GREASE GUN

- 450cc cartridge size
- 750mm ultra-flexible hose
- 6000psi max delivery pressure
- 70g/min flow rate
- Air bleed valve simplifies air removal during loading
- Multiple loading options (cartridge, bulk & suction)
- Non-slip finish for better grip
- Charging Time: 1 hour auto cut-off

SET INCLUDES

- 16v Industrial Grease Gun
- 2.0Ah Max Lithium Battery Pack
- 16v Charger

PRESSURE
6000PSI

CARTRIDGE
450cc

FLOW RATE
70g Per Min

COMPACT POWER

ALSO AVAILABLE

SKIN ONLY
Battery & charger not included

SP81512BU

16V WORK LIGHT

SP81416BU

16V WORK LIGHT/ FLASHLIGHT

- Adjustable head - 4 angle settings 90°, 120°, 150° & 180°
- Two light sources: 4pc LED light panel (40hrs @ 30Lux) & 28pc LED light panel (9Hrs @ 160Lux)
- Fold away hook
- LED life: 3000 hours

SET INCLUDES

- 16v Work Light/Flashlight

SKIN ONLY
Battery & charger not included

LUX
160 WORK LIGHT | 30 TORCH

ADJUSTABLE HEAD
4 Angle Settings

FOLD AWAY HOOK

16V BATTERY PACK

SP81983

16V BATTERY PACK LITHIUM-ION 2.0AH

The SP Max drive cordless range is powered by next-gen INR chemistry battery cells. The INR chemistry combines the safety and low resistance of Manganese and the high energy capacity of Nickel. When we combine these cells with Max Core electronics, the result is a battery pack with superior performance and safety or in simple terms, the very best available.

- Longer run time
- Less charging
- Power when you need it
- Stronger coated contacts
- Longer life - More than double the recharges of normal lithium batteries

16V CHARGER

SP81985

16V BATTERY CHARGER

SP multi function microprocessor controlled 12 & 16 volt battery charger features a 9 stage control and protection system

- Programmable over-charge voltage
- End of charge current
- Temperature cut-off
- Safety charging time
- Receive charge termination signal
- Over-charge voltage protection
- Over-charge current protection
- Short circuit protection

>18v

COMPACT, LIGHTWEIGHT & POWERFUL

While this voltage is used mainly in the building and construction industries, with the new high powermotors and batteries, cordless is moving into new fields.

18V IMPACT WRENCHES

SP81133BU

18V 1/2"DR COMPACT BRUSHLESS IMPACT WRENCH - SKIN ONLY

169mm LONG INCLUDING ANVIL

INDUSTRY LEADER

BRUSHLESS TECHNOLOGY

SP Maxdrive Brushless motors provide more runtime and superior power when compared to other leading brands. Using the highest quality components and industry best manufacturing process, we deliver the power that you need.... SP Maxdrive

970NM
BOLT BUSTING TORQUE

LIGHTWEIGHT

2200RPM
NO LOAD SPEED

COMPACT DESIGN
ONLY 169MM LONG

EXTREME POWER

THE BEST COMBINATION OF VOLTAGE, POWER, TORQUE AND SIZE

SKIN ONLY
Battery & charger not included

FEATURES

- Bolt Busting Torque: 970N-m
- Torque: 690N-m
- No-Load speed: 0-2200rpm
- Capacity: 1/2" (13mm)
- Variable speed switch with brake
- Powerful brushless motor
- Lightweight - 1.54kg (without battery)
- Compact design - Only 169mm long (Including anvil)
- Reversible
- Ergonomic soft grip handle

SET INCLUDES

- 18v Compact 1/2''Dr Brushless Impact Wrench

18V IMPACT WRENCHES CONTINUED

SP81130

18V 1/2"DR IMPACT WRENCH

- Bolt Busting Torque: 1490N-m
- Torque: 1000N-m
- Capacity: 1/2" (13mm)
- Variable speed switch with brake
- Powerful motor
- Ergonomic soft grip handle
- Weight: 0.87kg (With Battery)
- Charging Time: 1 hour auto cut-off

SET INCLUDES

- 18v 1/2"Dr Impact Wrench
- 5.0Ah Max Lithium Battery Packs 2x
- 18v Charger

BOLT BUSTING TORQUE
1490Nm

EXTREME POWER

THE BEST COMBINATION OF VOLTAGE, POWER, TORQUE AND SIZE

ALSO AVAILABLE

SKIN ONLY
Battery & charger not included

SP81130BU

SP81140

18V 3/4"DR IMPACT WRENCH

- Bolt Busting Torque: 1788N-m
- Torque: 1100N-m
- Capacity: 3/4" (19mm)
- Variable speed switch with brake
- Powerful motor
- Ergonomic soft grip handle
- Weight: 0.87kg (With Battery)
- Charging Time: 1 hour auto cut-off

SET INCLUDES

- 18v 3/4"Dr Impact Wrench
- 5.0Ah Max Lithium Battery Packs 2x
- 18v Charger

BOLT BUSTING TORQUE
1788Nm

EXTREME POWER

THE BEST COMBINATION OF VOLTAGE, POWER, TORQUE AND SIZE

ALSO AVAILABLE

SKIN ONLY
Battery & charger not included

SP81140BU

18V IMPACT DRIVERS

SP81147BU

18V 1/4" HEX BRUSHLESS IMPACT DRIVER - SKIN ONLY

- Capacity: 1/4" (6mm)
- Variable speed trigger
- Powerful brushless motor
- Ergonomic soft grip handle for comfortable use
- Weight: 1.67kg (With Battery)
- Charging Time: 1 hour auto cut-off (±10min)

SET INCLUDES

- 16v 1/4" Hex Impact Driver

BRUSHLESS

EXTREME CONTROL

More control means reduced over-driving, breaking and stripping of screws.

SP Max Drive gives you 3 speeds and 2 torque settings for all applications

	RPM	IPM	TORQUE
SETTING 1	0-900	0-1000	10.7Nm
SETTING 2	0-2100	0-2900	98Nm
SETTING 3	0-3000	0-4000	205Nm
REVERSE	0-3000	0-4000	205Nm

EXTREME POWER

SKIN ONLY
Battery & charger not included

© SP Tools Product Catalogue

18V DRILL DRIVERS

SP81235BU

18V 13MM BRUSHLESS DRILL DRIVER 2 SPEED - SKIN ONLY

- No-Load Speed: Low - 0-370rpm. High 0-1570rpm
- Torque: 32Nm
- Keyless chuck
- 10 selections clutch torque control
- Gear box with spindle lock function
- Variable speed trigger
- Weight: 1.6kg (With Battery)
- Charging Time: 1 hour auto cut-off (±10min)

SET INCLUDES

- 16v Compact 1/2''Dr (13mm) Drill Driver

TORQUE
32Nm

SPEED
Low: 0-370RPM
High: 0-1570RPM

CLUTCH CONTROL
10 Torque Selections

KEYLESS CHUCK

BRUSHLESS

COMPACT POWER

THE BEST COMBINATION OF VOLTAGE, POWER, TORQUE AND SIZE

SKIN ONLY
Battery & charger not included

SP81244BU

18V 13MM HAMMER DRILL DRIVER 2 SPEED - SKIN ONLY

- No-Load Speed: Low - 0-460rpm. High 0-1650rpm
- Torque: 60Nm
- 2 Speed gear box
- 15 selections clutch torque control plus hammer
- Heavy duty all steel keyless chuck
- Variable speed trigger
- Weight: 1.6kg (With Battery)
- Charging Time: 1 hour auto cut-off (±10min)

SET INCLUDES

- 16v Compact 1/2"Dr (13mm) Drill Driver

TORQUE
60Nm

SPEED
Low: 0-460RPM
High: 0-1650RPM

CLUTCH CONTROL
15 Torque Selections

KEYLESS CHUCK

COMPACT POWER

THE BEST COMBINATION OF VOLTAGE, POWER, TORQUE AND SIZE

SKIN ONLY
Battery & charger not included

18V CUT OFF/ANGLE GRINDER

SP81313BU

18V BRUSHLESS 5" CUT OFF/ANGLE GRINDER SKIN ONLY

- No-Load Speed: 7000rpm
- High Torque
- Powerful brushless induction motor delivering high torque
- Wheel Size: 5" (125mm)
- Weight: 2.14kg (With Battery)
- Charging Time: 1 hour auto cut-off (±10min)

SET INCLUDES

- 18v Brushless 5" Cut off/Angle Grinder

SPEED
7000RPM

HIGH TORQUE

SKIN ONLY
Battery & charger not included

COMPACT POWER

THE BEST COMBINATION OF VOLTAGE, POWER, TORQUE AND SIZE

18V RIVETER

SP81376BU

18V INDUSTRIAL RIVETER

PULLING FORCE
2000kg

HIGH CAPACITY
± 650 rivets on one charge

- High capacity: Sets ± 650 rivets on one charge (650 stainless 6.4mm rivets off 1x 2.0ah battery charge)
- Powerful brushless motor with a max pulling force of 2000Kg
- Designed for heavy duty industrial usage
- Ergonomic soft grip handle for comfortable use
- Suits all materials - aluminium, steel & stainless steel
- Includes interchangeable nozzles
- Attached collection bottle
- Weight: 2.40kg (With Battery)
- Charging Time: 1 hour auto cut-off (±10min)

COMPACT POWER

THE BEST COMBINATION OF VOLTAGE, POWER, TORQUE AND SIZE

SKIN ONLY
Battery & charger not included

SETS RIVET SIZES

- Metric: 2.0, 3.2, 4.0, 4.8, & 6.4mm
- SAE: 5/64", 1/8", 5/32", 3/16" & 1/4"

SET INCLUDES

- 18v Industrial Riveter

SETS RIVET SIZES

18V BATTERY PACKS

18V BATTERY PACKS LITHIUM-ION

MAX LITHIUM

AVAILABLE IN 3 OPTIONS

AMP HOURS (Ah)	MODEL
2.0Ah	SP81994
4.0Ah	SP81997
5.0Ah	SP81998

The SP Max drive cordless range is powered by next-gen INR chemistry battery cells. The INR chemistry combines the safety and low resistance of Manganese and the high energy capacity of Nickel. When we combine these cells with Max Core electronics, the result is a battery pack with superior performance and safety or in simple terms, the very best available.

- Longer run time
- Less charging
- Power when you need it
- Stronger coated contacts
- Longer life - More than double the recharges of normal lithium batteries

© SP Tools Product Catalogue

18V CHARGER

SP81988

18V BATTERY CHARGER

SP multi function microprocessor controlled 18 volt battery charger features a 9 stage control and protection system

- Programmable over-charge voltage
- End of charge current
- Temperature cut-off
- Safety charging time
- Receive charge termination signal
- Over-charge voltage protection
- Over-charge current protection
- Short circuit protection

11 AIR TOOLS

SP AIR IS THE WORLDS PREMIUM MANUFACTURER OF PNEUMATIC TOOLS. FOR OVER 45 YEARS WE HAVE DEVELOPED AND MANUFACTURED AIR TOOLS TO SUIT BOTH AUTOMOTIVE AND INDUSTRIAL APPLICATIONS. WE CONTINUE TO LEAD THE WORLD BY USING INNOVATIVE TECHNOLOGY AND MATERIALS TO CREATE TOOLS THAT SIMPLY OUTLAST ALL THE OTHERS.

SUB-CATEGORIES:

IMPACT RATCHET WRENCHES	392
RATCHET WRENCHES	392
IMPACT WRENCHES	393
DIE GRINDERS	396
ANGLE GRINDERS	398
DRILLS	398
CUT OFF TOOLS	399
AIR NIBBLERS	399
AIR SAWS	400
RIVETERS	400
GASKET SANDERS	401
SANDERS/POLISHERS	401
CHISEL GUNS	402
NEEDLE SCALERS	402
OIL & LUBRICANTS	403
INLINE OILERS & COUPLERS	403
FITTED AIR HOSES	404
AIR TOOL ACCESSORIES	404

AIR TOOLS

IMPACT RATCHET WRENCHES

SP-7720A

1/4"DR IMPACT RATCHET WRENCH MINI

1/4" DRIVE

SPECIFICATIONS

- Hand Torque: 10 - 41Nm
- Length: 155mm
- Capacity: 6.35mm
- Air consumption: 396L/min Max

FEATURES

- 3x Faster than normal mini ratchets
- Ideal for work around engines where room is limited
- Induction hardened ratchet head to increase the life of your tool
- Single dog hammer mechanism
- Heavy duty metal body
- Ergonomic design reduces fatigue
- Lever handle for throttle control
- Forward/reverse

SP-7722A

3/8"DR IMPACT RATCHET WRENCH MINI

3/8" DRIVE

SPECIFICATIONS

- Hand Torque: 10 - 41Nm
- Length: 155mm
- Capacity: 10mm
- Air consumption: 396L/min Max

FEATURES

- 3x Faster than normal mini ratchets
- Ideal for work around engines where room is limited
- Induction hardened ratchet head to increase the life of your tool
- Single dog hammer mechanism
- Heavy duty metal body
- Ergonomic design reduces fatigue
- Lever handle for throttle control
- Forward/reverse

RATCHET WRENCHES

SP-1761

1/4"DR RATCHET WRENCH

1/4" DRIVE

SPECIFICATIONS

- Hand Torque: 41Nm
- Length: 170mm
- Capacity: 6.35mm
- Air consumption: 485L/min Max

FEATURES

- Ideal for engine repairs, interiors etc. super compact!
- Induction hardened ratchet head to increase the life of your tool
- Heavy duty metal body
- Ergonomic design reduces fatigue
- Lever handle for throttle control
- Adjustable speed and power
- Forward/reverse

CONTINUED RATCHET WRENCHES

SP-1763

3/8"DR RATCHET WRENCH

3/8" DRIVE

SPECIFICATIONS

- Hand Torque: 41Nm
- Length: 170mm
- Capacity: 12mm
- Air consumption: 485L/min Max

FEATURES

- Ideal for engine repairs, interiors etc. super compact!
- Induction hardened ratchet head to increase the life of your tool
- Heavy duty metal body
- Ergonomic design reduces fatigue
- Lever handle for throttle control
- Adjustable speed and power
- Forward/reverse

SP-1133SX

3/8"DR RATCHET WRENCH

3/8" DRIVE

SPECIFICATIONS

- Hand Torque: 168nm
- Length: 254mm
- Capacity: 12mm
- Air consumption: 525L/min Max

FEATURES

- Ideal for engine repairs, tune-ups and radiator work
- Induction hardened ratchet head to increase the life of your tool
- Heavy duty metal body
- Ergonomic design reduces fatigue
- Lever handle for throttle control
- Forward/reverse

SP-1133SX-2

1/2"DR RATCHET WRENCH

1/2" DRIVE

SPECIFICATIONS

- Hand Torque: 168nm
- Length: 254mm
- Capacity: 16mm
- Air consumption: 525L/min Max

FEATURES

- Ideal for engine repairs, tune-ups and radiator work
- Induction hardened ratchet head to increase the life of your tool
- Heavy duty metal body
- Ergonomic design reduces fatigue
- Lever handle for throttle control
- Forward/reverse

IMPACT WRENCHES

TWIN DOG HAMMER

SP-1142

3/8”DR IMPACT WRENCH - COMPACT

3/8" DRIVE

SPECIFICATIONS

- Bolt Busting Torque: 110Nm
- no load speed: 17.000
- Length: 110mm
- Capacity: 12mm
- Weight: 0.68 kg
- Air consumption: 468L/min Max

FEATURES

- Ideal for mechanical workshops
- 93mm Head (including anvil) - Perfect for hard to reach and confined areas
- Twin dog hammer mechanism
- 5 torque settings
- Forward/reverse
- Handle exhaust

+SUPER SILENT

93mm INCLUDING ANVIL

COMPACT DESIGN
93mm Long Inc. Anvil. Perfect for confined spaces

SINGLE DOG HAMMER

SP-1142

1/2”DR IMPACT WRENCH - COMPACT

1/2" DRIVE

SPECIFICATIONS

- Bolt Busting Torque: 970Nm
- Max Torque: 420Nm (forward) 705Nm (reverse)
- Length: 93mm
- Capacity: 16mm
- Weight: 1.33 kg
- Air consumption: 808L/min Max

FEATURES

- Ideal for mechanical workshops
- 93mm Head (including anvil) - Perfect for hard to reach and confined areas
- Single dog hammer mechanism
- 3 torque settings
- Forward/reverse
- Handle exhaust

ULTRA LIGHT DESIGN
Composite body for ultra light body, less than 1kg! and 875nm!

TWIN DOG HAMMER

SP-7147EX

1/2”DR IMPACT WRENCH - COMPACT

1/2" DRIVE

SPECIFICATIONS

- Bolt Busting Torque: 870Nm
- Max Torque: 420Nm (forward) 680Nm (reverse)
- Length: 119mm
- Capacity: 16mm
- Weight: 0,94 kg
- Air consumption: 647L/min Max

FEATURES

- Ideal for mechanical workshops
- 119mm Head (including anvil) - Perfect for hard to reach and confined areas
- Twin dog hammer mechanism
- 4 torque settings
- Forward/reverse
- Handle exhaust
- Super silent!

+SUPER SILENT

© SP Tools Product Catalogue

CONTINUED **IMPACT WRENCHES**

SP-9149

1/2”DR IMPACT WRENCH

1/2" DRIVE

TORQUE SETTINGS

	FORWARD	REVERSE
SETTING 1	325Nm	369Nm
SETTING 2	368Nm	413Nm
SETTING 3	569Nm	575Nm
SETTING 4	596Nm	596Nm

SPECIFICATIONS

- Bolt Busting Torque: 1700Nm
- Max Torque: 1190Nm
- Capacity: 16mm

FEATURES

- Ideal for the automotive and tyre industry
- Industrial twin dog hammer mechanism
- Super Fast, High Power 8 Vane Motor
- Lightweight composite body
- Forward/reverse
- Powerful & durable
- Handle exhaust

HIGH TORQUE

TWIN DOG HAMMER

SP-9150

3/4”DR IMPACT WRENCH

3/4" DRIVE

SPECIFICATIONS

- Bolt Busting Torque: 2150Nm
- Max Torque: 1750Nm
- Capacity: 25mm
- working presure till 12bar

FEATURES

- Ideal for the heavy duty and truck tyre industry
- Industrial twin dog hammer mechanism
- Super Fast, High Power 8 Vane Motor
- Lightweight composite body
- Forward/reverse
- Powerful & durable
- Handle exhaust

HIGH TORQUE

TWIN DOG HAMMER

IMPACT WRENCHES

1" DRIVE

SP-1193GE6

1”DR SUPERGUN IMPACT WRENCH LONG ANVIL - 6"

SPECIFICATIONS

- Bolt Busting Torque: 3500Nm
- Max Torque: 3000Nm
- Length: 560mm
- Capacity: 45mm
- Weight: 12.50kg
- Air consumption: 1130L/min Max

FEATURES

- Ideal for industrial applications
- Induction hardened, industrial single dog hammer mechanism
- Adjustable torque settings
- Heavy duty
- High Torque
- Multi position handle

SINGLE DOG HAMMER

EXTREME TORQUE

1" DRIVE

SP-1190

1”DR SUPERGUN IMPACT WRENCH LONG ANVIL - 6" LIGHTWEIGHT

SPECIFICATIONS

- Bolt Busting Torque: 3260Nm
- Max Torque: 2700Nm
- Length: 572mm
- Capacity: 45mm
- Weight: 7.90kg
- Air consumption: 1130L/min Max

FEATURES

- Ideal for industrial applications
- Induction hardened, industrial single dog hammer mechanism
- Adjustable torque settings
- Heavy duty
- High Torque
- Multi position handle

SINGLE DOG HAMMER

EXTREME TORQUE

© SP Tools Product Catalogue

DIE GRINDERS

SP-1201

1/4" DIE GRINDER MINI - STRAIGHT

SPECIFICATIONS

- Free speed: 25,000rpm
- Length: 120mm
- Capacity: 6.35mm
- Weight: 0.30Kg
- Air consumption: 125L/min Max
- Air inlet size: 1/4" NPT
- Air hose size: 3/8" Inside I.D

FEATURES

- Ideal for neatening welds, smoothing sharp edges, de-burring, porting, polishing and grinding back metals
- Graduated trigger control
- Safety lock throttle lever prevents accidental start up
- Lightweight, durable, heavy duty robust alloy body
- Ergonomic design handle
- Front exhaust

SP-1202

1/4" DIE GRINDER ANGLE HEAD

SPECIFICATIONS

- Free speed: 18,000rpm
- Length: 175mm
- Capacity: 6.35mm
- Weight: 0.40Kg
- Air pressure: 90psi
- Air consumption: 125L/min Max
- Air inlet size: 1/4" NPT
- Air hose size: 3/8" Inside I.D

FEATURES

- 90°angle head, ideal in tight spaces
- Graduated trigger control
- Safety lock throttle lever prevents accidental start up
- Lightweight, durable, heavy duty composite body
- Ergonomic design cushion grip handle
- Built-in power regulator
- Rear exhaust

ANGLE GRINDERS

SP-2257

ANGLE GRINDER AUTOMOTIVE - 125MM

SPECIFICATIONS

- Free Speed: 11,000RPM
- Capacity: 125mm
- Length: 225mm
- Air Con: 566L/min Max
- Weight: 1.76kg

FEATURES

- Spiral bevel gears for low vibration
- Safety lock throttle lever prevents accidental start up
- Side handle

DRILLS

SP-1529

3/8"DR DRILL - PISTOL TYPE KEYLESS - REVERSIBLE

SPECIFICATIONS

- Free Speed: 2,200RPM
- Capacity: 9.5mm
- Length: 175mm
- Weight: 1.20kg

FEATURES

- Geared keyless chuck (2 gear, caged)
- Easy to manoeuvre and work with in the workshop
- Soft-grip handles for less vibration and comfort
- High quality aluminium body
- handle Exhaust

SP-1531

1/2"DR DRILL - PISTOL TYPE KEYLESS - REVERSIBLE

SPECIFICATIONS

- Free Speed: 700RPM
- Capacity: 13mm
- Length: 188mm
- Weight: 1.40kg

FEATURES

- Geared keyless chuck (double, caged)
- Easy to manoeuvre and work with in the workshop
- Soft-grip handles for less vibration and comfort
- High quality aluminium body
- handle Exhaust

CUT OFF TOOL

SP-7230

CUT OFF TOOL - 3"

SPECIFICATIONS

- Free Speed: 20,000RPM
- Capacity: 1.5mm
- Length: 240mm
- Air consumption: 113 L/min max
- Weight: 0.68kg

FEATURES

- Ergonomic design cushion-grip handle
- Rear exhaust
- Safety lock throttle lever
- Built-in power regulator
- Metal guard

COMPOSITE BODY
LIGHTWEIGHT

AIR SAW

SPEED
10000 Strokes P/Min

SP-2730

AIR SAW - STRAIGHT

SPECIFICATIONS

- Free Speed: 10,000 Strokes per minute
- Capacity: 1.5mm
- Length: 240mm
- Air consumption: 360 L/min max
- Weight: 1.3kg

SET INCLUDES

- Straight Air Saw
- 24 teeth blade
- 32 teeth blade

© SP Tools Product Catalogue

SANDERS/POLISHERS

SP-2331H

GASKET SANDER KIT 2" (50MM)

SPECIFICATIONS

- Free Speed: 16,000RPM
- Capacity: 50mm
- Thread size: 6mm x 1.25mm Pitch
- Weight: 1.8kg

SANDER FEATURES

- Multiple speed settings
- Ergonomic grip/trigger designed for operator comfort
- Lightweight composite body

KIT INCLUDES

- 50mm (2") Gasket Sander
- 4x Surface Prep Discs (Medium Grit)
- 8x Surface Prep Discs (Coarse Grit)
- 4x Sanding Discs (#120 Grit)
- 4x Sanding Discs (#80 Grit)
- Housed in heavy duty blow mould storage case

SP-1330H

DISC SANDER 2" (50MM)

SPECIFICATIONS

- Free Speed: 12,000RPM
- Length: 125mm
- Capacity: 50mm
- Air Consumption: 469L/min Max
- Weight: 0.67kg

FEATURES

- Multiple speed settings
- Ergonomic grip/trigger designed for operator comfort

SP-2370

BELT SANDER 10MM

SPECIFICATIONS

- Free Speed: 16,000RPM
- Length: 275mm
- Capacity: 10 x 330mm
- Air Consumption: 647L/min Max
- Weight: 1kg

FEATURES

- 360° adjustable sanding arm
- Heavy duty lightweight construction
- Quick change belt replacement lever
- Graduated trigger control
- Ergonomic design cushion grip handle
- Includes 2 piece 10mm sanding belts

KIT INCLUDES

- Belt Sander
- 1x 80 grit belt
- 1x 120 grit belt

NEEDLE SCALERS

SP-2472

NEEDLE SCALER STRAIGHT - COMPOSITE

- Needle diameter: 1/8 x 7
- Number of needles: 12
- Length: 345mm
- Weight: 2.4kg
- Ideal for removal of rust, scale, paint etc
- Needles adjust automatically to contours

SP-2482

NEEDLE SCALER PISTOL

- Needle diameter: 1/8 x 7
- Number of needles: 19
- Length: 330mm
- Weight: 2.7kg
- Ideal for removal of rust, scale, paint etc
- Needles adjust automatically to contours

FITTED AIR HOSES

FITTED AIR HOSES PREMIUM QUALITY

AVAILABLE IN 2 SIZES

- Made from an engineered hybrid polymer that provides superior all weather flexibility, even in freezing temperatures (Temp. range: -5°C ~ 65°C)
- Designed to hold up to the shop environment with an excellent abrasion resistant outer cover.
- Hose will not kink when under pressure.
- Max working pressure: 300PSI
- Designed to work smart & last long with a lightweight body and One-Touch Nitto style couplers, this hose is built to work as hard as you do.

EXTREME FLEXIBILITY

PREMIUM QUALITY

HIGH VISIBILITY
SAFETY ORANGE

ABRASION RESISTANT

ONE-TOUCH COUPLERS

- One-Touch Nitto™ style
- Swaged hose clamps
- 10mm / 3/8" I.D

SECURELY CRIMPED ASSEMBLY OF HOSE, COUPLING BARB & FERRULE

Securing these fittings by crimping provides an interlocking assembly of hose, coupling barb and ferrule - maximising the hose assembly's sealing and assuring a 300psi working pressure.

ANTI-KINK HYBRID POLYMER MATERIAL BONDED WITH POLYESTER BRAID

These combined materials remain flexible in a temperature range between -5°c to 65°c and has the added advantage that it will not kink under pressure.

The unique no memory characteristics of the Hybrid Polymer ensures a hose that will lay flat and not curl when unrolled from storage

- Extreme flexibility
- Abrasion resistant
- Easy to roll up for quick and effortless storage
- High visibility safety orange
- No memory technology
- Anti-kink
- UV treated

UV

LENGTH	MODEL
15 Meters	SP66-15N
30 Meters	SP66-30N

© SP Tools Product Catalogue

AIR TOOL ACCESSORIES

AIR SAW BLADES

AIR SAW BLADES PACKS OF 5

5 BLADES IN EACH PACK

TEETH	FOR CUTTING	MODEL
32 Teeth	STEEL	SAW-B100
24 Teeth	ALUMINIUM	SAW-C100

SANDER DISCS

GASKET SANDER DISCS

- Packs of 4 Discs
- Fine disc for use on aluminium cylinder heads
- Course disc for use on cast iron cylinder heads
- Suits 2" (50mm) gasket sanders

GRIT TYPE	
TYPE	MODEL
Fine	SP-2051
Course	SP-2053

SP-205A

GASKET SANDER PAD & SPINDLE

- Pad - 2"
- Spindle

AIR DUSTERS

AVAILABLE IN 2 SIZES

AIR DUSTERS

- Provides a controlled flow of air, ideal for the cleaning of machinery
- Long angled nozzle provides for convenient, fast & easy access for a wide range of applications
- Air inlet thread NPT: 1/4”

SP-111

LONG NOZZLE

- Length: 100mm

SP-113

EXTRA LONG NOZZLE

- Length: 750mm

INLINE OILERS & COUPLERS

MOL-21

INLINE MINI AIR TOOL OILER / LUBRICATOR

- Provides automatic constant lubrication for air tools, when placed inline
- Drip feeds lubricant to air tool
- Transparent reservoir lets you see when oil level is low
- Extends air tools service life by ensuring the tool is constantly well lubricated
- 1/4” BSP

DRIP FEEDS LUBRICANT

SP910A

AIR LINE UNIVERSAL COUPLER

- Max pressure: 170Psi
- Working Pressure: 90Psi
- 1/4” BSP
- Air Flow: 11Cfm (310 Litres/min)
- Composite plastic

HOSE REELS

RHR-15

15M RETRACTABLE HOSE REEL

- 10x16mm Flexible PVC Hose

Constructed from an engineered hybrid polymer that provides superior all-weather flexibility, even in freezing temperatures (temperature range: -5°C ~ 65°C)

- Designed to hold up to the shop environment with an excellent abrasion-resistant outer cover.
- Hose will not kink when under pressure.
- Max Working Pressure: 16bar
- Designed to work smart & last long with a lightweight body, this hose is built to work as hard as you do.

PREMIUM QUALITY

- Extreme flexibility
- Abrasion resistant
- Automatic roll up for quick and effortless storage
- No memory technology
- Anti-kink
- UV treated

SPHR-15

15M PREMIUM RETRACTABLE HOSE REEL

- 10x16mm Flexible Rubber/PVC Hose

Constructed from an engineered hybrid polymer that provides superior all-weather flexibility, even in freezing temperatures (temperature range: -25°C - 45°C)

- Designed to hold up to the shop environment with an excellent abrasion-resistant outer cover.
- Hose will not kink when under pressure.
- Max Working Pressure: 24bar
- Designed to work smart & last long with a lightweight body, this hose built to work as hard as you do.

PREMIUM QUALITY

- Extreme flexibility
- Abrasion resistant
- Automatic roll up for quick and effortless storage
- No memory technology
- Anti-kink
- UV treated

© SP Tools Product Catalogue

12 COMPRESSORS

PORTABLE AND STATIONARY

DIRECT DRIVE AIR COMPRESSORS

SP11-40X

2HP AIR COMPRESSOR TRADE QUALITY PORTABLE TRADITIONAL

SPECIFICATIONS

- Direct Drive
- 126L/min FAD
- 150psi
- 36lt Tank
- 240Volts/10amp
- Filter/Regulator

FEATURES

- Lightweight & high trade quality
- One man lift
- Larger tank capacity
- Full brass non-return valve
- Copper delivery pipe
- 200mm (8") solid rubber wheels
- One-touch (Nitto style) connector
- Certified safety valve
- Large oil level sight glass
- After cooler on direct drive models
- Soft start valve
- Copper wound motor
- Cast iron cylinder
- Thermal reset switch

630(L) x 360(w) x 680(h)mm

37Kg

36 LITRE TANK

SP12-50X

2.5HP AIR COMPRESSOR TRADE QUALITY PORTABLE

SPECIFICATIONS

- Direct Drive
- 182L/min FAD
- 150psi
- 50lt Tank
- 240Volts/10amp
- Regulator

FEATURES

- The ultimate builders companion
- Able to run all nail guns
- One man lift
- Full brass non-return valve
- Copper delivery pipe
- 200mm (8") solid rubber wheels
- One-touch (Nitto style) connector
- Certified safety valve
- Large oil level sight glass
- After cooler on direct drive models
- Soft start valve
- Copper wound motor
- Cast iron cylinder
- Thermal reset switch

800(L) x 360(w) x 710(h)mm

56Kg

50 LITRE TANK

13 POWERED EQUIPMENT

WITH MORE THAN 30 YEARS OF DEVELOPMENT AND INNOVATION, SP POWERED EQUIPMENT IS A BRAND NAME SYNONYMOUS WITH QUALITY AND ENDURANCE. WHETHER YOU'RE USING POWER FOR THE CONSTRUCTION OR AUTOMOTIVE INDUSTRY, WE HAVE A PACKAGE TO SUIT YOUR NEEDS



SUB-CATEGORIES:

INVERTER GENERATORS 324

INVERTER GENERATORS

POWERED BY TORINI ENGINES

PATENTED TECHNOLOGY

ALL SP INVERTER GENERATORS FEATURE A:

- Patented Torini engine with a large volume muffler to increase fuel efficiency and reduce noise.
- Patented permanent magnet inverter generator with ESC (Engine Smart Control) which intelligently controls rpm to further reduce noise and fuel consumption
- Patented 3 way cooling system to lower running temperature and extend engine life
- Patented exhaust gas circulation system where exhaust gas passes through two cavities for double oil separation, thus decreasing oil consumption and extending engine life

3 YEAR ENGINE WARRANTY
4 YEARS DOMESTIC USE

PURE SINE WAVE

SPGI3300E

INVERTER GENERATOR 3300W - SUPER QUIET

SPECIFICATIONS

- Max Watts: 3300w
- Rated Watts: 3000w
- Power Outlets: 2 (15amp)
- Power: 50Hz/240v
- DB: 50~59dB
- Tank Capacity: 10L
- Starting System: Electric
- Net Weight: 45kg
- Operating Hours: 5.5h at 50% load

FEATURES

- Torini 4 stroke engine
- Engine smart control (ESC)
- Compact, lightweight and high quality
- 32 bit inverter core
- Ultra low running noise from 50 ~ 59dB
- 12 Volt outlet
- Parallel connection capable
- High precise power supply suitable for: computers, mobile phones and other electronic devices.
- Intelligent power supply also suitable for: refrigerators, air conditioners, microwaves, electric tools and similar equipment.

Dimensions: 570 x 440 x 510mm

SUPER QUIET RUNNING NOISE

SOUND SOURCES EXAMPLE & DISTANCE	SOUND PRESSURE LEVEL dB
Jet Aircraft, 50m away	140
Threshold of pain	130
Threshold of discomfort	120
Chainsaw, 1m away	110
Night club, 1m from speaker	100
Diesel Truck, 10m away	90
Kerbside of busy road, 5m away	80
Vacuum Cleaner, 1m away	70
Conversational speech, 1m	60
Average home	50
Quiet library	40
Quiet bedroom at night	30
Background in TV studio	20
Rustling leaves in the distance	10
Hearing threshold	0

POWERFUL, COMPACT AND WITH A SUPER QUIET RUNNING NOISE, THE RANGE OF SP INVERTER GENERATORS ARE IDEAL FOR ALL CAMPING AND LEISURE ACTIVITIES.

INVERTER GENERATORS SOUND LEVEL

BETWEEN 50 & 59dB
Equivalent to the average sound at home and having a conversation

THE ULTIMATE OUTDOOR COMPANION

Ideal for all camping and leisure activities, compared to similar products, the SPGi3300E is a powerful super quiet inverter generator with the best power, size to weight ratio on the market. Built around the reliable Torini race tested 7Hp engine and intelligent power supply, it is well suited for recreational use with air conditioners, refrigerators, microwave ovens, coffee machines & entertainment appliances. The microprocessor controlled inverter produces a high precision, pure sine wave power output, perfect for laptops, computers, mobile phones & tablets making it ideal for back up power at home during power outages & storm emergencies.

Don't risk your electronic devices on anything less.

All SP Generators meet strict Environmental Protection Agency (EPA), Proposed Australian Emissions Standards & strict Californian pollution laws and environmental protection standards.

MEETS PROPOSED AUSTRALIAN EMISSIONS STANDARDS
www.blueskyalliance.com.au

SPGI3000

3 YEAR ENGINE WARRANTY
4 YEARS DOMESTIC USE

INVERTER GENERATOR 2500W - SUPER QUIET

PURE SINE WAVE

SPECIFICATIONS

- Max Watts: 2500w
- Rated Watts: 2300w
- Power Outlets: 2 (15amp)
- Power: 50Hz/240v
- DB: 51~59dB
- Tank Capacity: 4L
- Starting System: Pull
- Net Weight: 27kg
- Operating Hours: 4.5h at 50% Load

FEATURES

- Torini 4 stroke engine
- 3 in 1 multi-function control
- Engine smart control (ESC)
- Compact, lightweight and high quality
- 32 bit inverter core
- Low running noise - 51~59dB
- 12 Volt outlet
- Parallel connection capable
- Robust construction
- Easy oil-change compartment

Dimensions: 600 x 340 x 530mm

LATEST GENERATOR TECHNOLOGY

JOIN ANY TWO SP INVERTER GENERATORS TOGETHER FOR AN ADDED BOOST IN POWER!

Joining any two SP Inverter Generators in parallel connection will ensure you get the full combined rated power output when you need it most. NO LOSS OF POWER.

Similar products on the market may only output a fraction of their combined rated power when connected together in parallel, making the SP Inverter Generator range the market leaders and the most technologically advanced generators available today.

POWER WHEN YOU NEED IT

Keep your options open, add power when your power needs increase

1600w + 3000w
= 4600w
NO LOSS OF POWER

SPGi3300E + SPGi2000

PCK3

PARALLEL CONNECTION CABLE KIT

- Used to connect two SP Inverter generators together in parallel
- Gain an extra power point when connected together

1600w + 1600w
= 3200w
NO LOSS OF POWER

Parallel connection cable included
SPGi2000 + SPGi2000

3000w + 3000w
= 6000w
NO LOSS OF POWER

Requires parallel connection cable - P/N: PCK3

SPGi3300E + SPGi3300E