



brennenstuhl®

_ smart technology.



Skilled craft is high performance.
More endurance. More power. More efficiency.

HIGH PERFORMANCE WORK LIGHTS

2020

professionalLINE

NEWS LIGHT



professionalLINE Mobile LED Spotlight X 8000 / X 12000 M

- Best lighting due to super bright OSRAM LEDs.
- Continuous dimming function 10 % to 100 % for particularly long lighting duration.
- Splash-proof socket with self-closing cover.
- With ON/OFF switch.
- With 5 m rubber-neoprene cable.
- All-round rubber edge protection for best stability and protection.
- With fold-out mounting bracket for positioning or mounting on brennenstuhl® tripods.
- Robust plastic housing.



Item no.	Luminous flux	Power
9171330801	8.300 lm	80 W
9171330121	12.100 lm	120 W



- IP 54 - dust-protected and protected against splashing water.
- Colour temperature: 5000 K.
- Socket loadable up to 3400 Watt.
- 3 year manufacturer's guarantee.

professionalLINE Mobile Rechargeable LED Spotlight



professionalLINE Mobile Rechargeable LED Spotlight X 4000 MA

- Bright light, all the time, even in areas without an electrical connection.
- Best lighting due to super bright OSRAM LEDs.
- Continuous dimming function 10 % to 100 % for particularly long lighting duration.
- Integrated lithium-ion battery 11.1 V/5.4 Ah with charging indicator.
- Power bank function for e.g. Smartphones.
- With ON/OFF switch.
- Rubber edge protection for best stability and protection.
- With fold-out mounting bracket for positioning or mounting on brennenstuhl® tripods.
- Robust plastic housing.



Item no.	Power	Light duration max.
9171320401	40 W	30 h



- IP 55 - dust-protected and protected against water-jets.
- Colour temperature: 5000 K.
- Light duration up to max. 30 hours.
- 3 year manufacturer's guarantee.

professionalLINE Mobile 360° Hybrid LED Spotlight ORUM 4000 MH



professionalLINE Mobile 360° Hybrid LED Spotlight ORUM 4000 MH

- Excellent all-round lighting thanks to 360° beam angle, anti-glare and wide diffusion.
- Bright light, all the time, even in areas without an electrical connection.
- Hybrid technology: Battery and mains operation possible.
- Emergency lighting: automatically switches to battery power during a power outage.
- LED floodlight has 3 switching levels: 100 %, 50 % and 10 % - allows for an even longer lighting duration in battery operation.
- Integrated Li-Ion battery 7.4 V/12.5 Ah with charging indicator. The light can be used when placed upright, hanging or mounted on a stand.
- Robust, break and impact resistant plastic casing. Including power supply unit 100 - 240 V AC, 50/60 Hz and removable 5 m RN cable.



Item no.	Luminous flux	Light duration max.
9171400401	4.500 lm	24 h



- IP 65 - dust-tight and protected against water-jets.
- Colour temperature: 6500 K.
- Light duration up to max. 24 hours.
- Easy to transport thanks to all-round carry handle and cord wrap.
- Shock resistance: IK 10.
- 3 year manufacturer's guarantee.

professionalLINE Mobile 360° LED Spotlight

Optimum light for professional work performance.



professionalLINE Mobile 360° LED Spotlight R17000

- Excellent all-round lighting thanks to 360° beam angle, anti-glare and wide diffusion.
- The six individual spotlights can be individually adjusted for an optimal light position.
- The control element IP 44 with on/off switch and memory function allows continuous dimming: 25/50/75/100 %.
- High impact strength: IK 08.
- Cable length: 10 m (3.3 m H05RN-F 2x1.0 and 6.7 m H07RN-F 3G1,0).
- Including holder for tripod mounting and robust carrying bag.
- Recommended accessories: Construction Telescopic Tripod TS 300 (9171991100).



Item no.	Luminous flux	Power
9171411160	17.000 lm	200 W



- IP 65 - dust-tight and protected against water-jets.
- Colour temperature: 6500 K.
- 3 year manufacturer's guarantee.



professionalLINE Construction Telescopic Tripod TS 300

- Heavy, stable and robust design.
- Steel tube, black, adjustable height up to a maximum of 3 meters.
- With cable holder.
- Hinged, extremely stable feet with rubber protection.
- Solid attachment with safety screws and studs.
- 2 Telescopic rods.
- Includes mounting bracket and a screw set consisting of:
 - 4 washers M6, 2 nuts M6,
 - 2 screws 45 mm M6.
- Accessory tripod cross beam CB 70 (1172640059) for the assembly of 2 floodlights.



Item no.	Max. load capacity	Height adjustable
9171991100	20 kg	up to 3 m



- 3 year manufacturer's guarantee.


brennenstuhl®

_ smart technology.



www.brennenstuhl.com