

brennenstuhl®

_ smart technology.



Skilled craft is high performance.
More endurance. More power. More efficiency.

HIGH PERFORMANCE WORK LIGHTS

2020

NEWS LIGHT

Tripod LED Double-Light JARO

For indoor and outdoor use, IP 65.



Tripod LED Double-Light 6000 T

- LED Light with extra bright Everlight SMD LEDs.
- Spotlight mechanism can be swivelled and locked.
- Solid and modern aluminium casing.
- With safety glass.
- With 2,5 m H07RN cable.
- Height-adjustable up to max. 160 cm (tripod height 88 to 138 cm).
- Telescope tripod made of stable, powder coated steel piping.
- Handy and reliable tube clamping nuts.
- With sturdy cable holder.



Item no.	Luminous flux	Power
1171250634	2x 2.930 lm	60 W



- IP 65 - dust-tight and protected against water-jets.
- Special light scattering for large area illumination.
- Colour temperature: 6500 K.
- Ideal for use on construction sites, for DIY and craftsmen.

Mobile Rechargeable LED Floodlight 360°

Excellent all-round lighting.



Mobile Rechargeable LED Floodlight 360° BF 3000 MA

- Excellent all-round lighting thanks to 360° beam angle, anti-glare and wide diffusion.
- Switch with light functions 100 - 50 - 25 %.
- The light can be used when placed upright, hanging or mounted on a stand.
- Robust, break and impact resistant plastic casing.
- Integrated lithium-ion battery 11.1 V/4.4 Ah with power bank function and charging indicator.
- With ON/OFF switch.



Item no.	Luminous flux	Light duration max.
1171410301	3.000 lm	12 h



- IP 54 - dust-protected and protected against splashing water.
- Colour temperature: 6500 K.
- Light duration max. 12 h.

Mobile LED Floodlight 360°

Excellent all-round lighting.



Mobile LED Floodlight 360° BF 3000 / 5000 M

- Excellent all-round lighting thanks to 360° beam angle, anti-glare and wide diffusion.
- Switch with light functions 100 - 50 %.
- The light can be used when placed upright, hanging or mounted on a stand.
- Robust, break and impact resistant plastic casing.
- With socket.
- With ON/OFF switch.




Item no.	Luminous flux	Cable
1171410300	3.000 lm	3 m H07RN-F 3G1,5
1171410500	5.000 lm	5 m H07RN-F 3G1,5



- IP 54 - dust-protected and protected against splashing water.
- Colour temperature: 6500 K.
- Socket resilient up to 3400 Watt.

Mobile LED Floodlight TORAN

With light control App for indoor and outdoor use.



Mobile Bluetooth® LED floodlight TORAN 3000 MB / 5000 MB with socket

- Best lighting due to super bright OSRAM LEDs. Continuous dimming function for 10 % to 100 % light.
- Bluetooth® connection to smartphone and app to control the light functions: Continuous adjustment of the light intensity.
- Up to 5 work floodlights can be controlled at the same time.
- Timer allows for time-controlled switch-off and switch-on.
- On/Off and Bluetooth switch.
- Rubber edge protection for best stability.
- With fold-out mounting bracket for positioning or mounting on brennenstuhl® tripods.




Item no.	Luminous flux	Power
1171470301	3.000 lm	30 W
1171470501	5.000 lm	46 W



- IP 55 (1171470301) - For indoor and outdoor use.
- Splash-proof socket with self-closing cover for 1171470501 - therefore IP 54.
- Colour temperature: 5000 K.
- Cable designation RN and 5 m length.

Mobile Rechargeable LED Floodlight TORAN

With light control App for indoor and outdoor use.



Mobile rechargeable Bluetooth® LED floodlight TORAN 4000 MBA

- Best lighting due to super bright OSRAM LEDs. Continuous dimming function 10 % to 100 % for particularly long lighting duration.
- Bluetooth® connection to smartphone and app to control the light functions: Continuous adjustment of the light intensity. Up to 5 work floodlights can be controlled at the same time.
- Timer allows for time-controlled switch-off and switch-on. Display of the battery charging.
- Integrated lithium-ion battery 11.1 V/5.4 Ah with power bank function and charging indicator.
- On/Off and Bluetooth switch.
- Rubber edge protection for best stability.
- With fold-out mounting bracket for positioning or mounting on brennenstuhl® tripods.



Item no.	Luminous flux	Power
1171470302	3.800 lm	40 W



- IP 55 - For indoor and outdoor use.
- Colour temperature: 5000 K.
- With rechargeable battery.

Mobile Rechargeable LED Floodlight RUFUS

Highest light quality for painters and varnishers.



Mobile Rechargeable LED Floodlight RUFUS 3020 MA with colour rendering 15CRI 96

- Light colour: 5 levels 2700 K to 6500 K with best colour rendering 15CRI 96.
- Bright light, all the time, even in areas without an electrical connection.
- Switch with functions Light: 100 % - 75 % - 50 % - 25 % - 10 %.
- Casing made of die-cast aluminum, edge protection made of high-quality plastic.
- Impact-resistant and drop-proof up to 3 m.
- USB charging cable A / C.
- With a robust matching bag for safe transport.



Item no.	Luminous flux	Light duration max.
1173110300	2.700 lm	25 h



- With memory function for the last used status.
- IP 65 - dust-tight and protected against water-jets.
- Colour temperature: 6500 K.
- Light duration up to max. 25 hours.
- Also mountable on tripod.
- Optional magnetic holder.

Mobile Rechargeable LED Floodlight RUFUS

Highly luminous, versatile and indestructible.



Mobile Rechargeable LED Floodlight RUFUS 1500 / 3000 MA

- Bright light, all the time, even in areas without an electrical connection.
- Switch with functions Light: 100 % - 75 % - 50 % - 25 % - 10 %.
- Casing made of die-cast aluminum, edge protection made of high-quality plastic.
- Impact-resistant and drop-proof up to 3 m.
- USB charging cable A / C.
- With a robust matching bag for safe transport.

Item no. Li-Ion Akku Luminous flux

1173100100 3,7 V / 5 Ah 1.500 lm 3 h

1173110100 7,4 V / 5 Ah 3.000 lm 5 h



- IP 65 - dust-tight and protected against water-jets.
- Colour temperature: 6500 K.
- Light duration up to max. 25 hours.
- Also mountable on tripod.
- Optional magnetic holder.

Mobile Rechargeable LED Floodlight RUFUS

With Bluetooth® speaker.



Mobile Rechargeable LED Floodlight RUFUS 3010 MA with Bluetooth® speaker

- Integrated Bluetooth® speaker 3 Watt with exceptional sound quality.
- Bright light, all the time, even in areas without an electrical connection.
- Switch with functions Light: 100 % - 75 % - 50 % - 25 % - 10 %.
- Casing made of die-cast aluminum, edge protection made of high-quality plastic.
- Impact-resistant and drop-proof up to 3 m.
- USB charging cable A / C.
- With a robust matching bag for safe transport.



Item no.	Luminous flux	Light duration max.
1173110200	3.000 lm	25 h



- IP 65 - dust-tight and protected against water-jets.
- Colour temperature: 6500 K.
- Light duration up to max. 25 hours.
- Also mountable on tripod.
- Optional magnetic holder.

Mobile LED Light DINORA

For indoor and outdoor use, IP 54.



Mobile LED Light DINORA 8010

- Pleasant, glare-free working light and special light scattering for extensive illumination.
- Perfect for tradesmen and advanced DIY workers.
- Light and still very robust.
- Low heat generation, no danger of injury.
- SMD LEDs have a very long lifespan, are shock-proof and maintenance-free.
- Socket with increased touch protection and self-closing cover, water-jet protected.
- Fracture- and impact-proof plastic housing with rubber edge protection.
- With adjustable mounting bracket for positioning or mounting on brennenstuhl® tripods.
- Easily portable with carrying handle.
- With illuminated ON/OFF switch.

Item no.	Luminous flux	Power
1171580020	8.000 lm	70 W



- IP 54 - dust-protected and protected against splashing water.
- Colour temperature: 6500 K.
- Tested according to BGI 608.
- Impact strength IK 08.
- Oil resistant cable: 5 m H07RN-F 2x1.0.

Mobile Rechargeable LED Floodlight BLUMO

With Bluetooth® speaker.



Mobile Rechargeable LED Floodlight BLUMO 3000 A with Bluetooth® speaker

- Integrated Bluetooth® speaker 2x 5 Watt with exceptional sound quality.
- Bright light, all the time, even in areas without an electrical connection.
- 3 switching stages: 100 %, 50 % and 10 % light for extended lighting duration.
- High-quality plastic housing with rubber edge protection.
- Exchangeable Li-ion battery with battery charge and status indicator.
- With adjustable mounting bracket.
- With USB charging cable.
- Includes power supply (100 - 240 V AC, 50/60 Hz) and 12 V car charging cable.



Item no.	Luminous flux	Light duration max.
1171620010	3.000 lm	15 h



- IP 54 - dust-protected and protected against splashing water.
- Colour temperature: 6500 K.
- Light duration up to max. 15 hours.
- Also mountable on tripod.

Mobile Rechargeable LED Floodlight

Maximum light power in smallest size.



Mobile Rechargeable LED Floodlight PF 1000 MA

- With super-bright COB LED.
- 3 switching stages: 100 %, 50 % and 10 % light for extended lighting duration.
- Powerbank function: USB charging port for devices with USB charging cable
- Highly versatile for use in the house, in the garden, when camping and for outdoor activities.
- Integrated Li-Ion rechargeable battery 3.7 V/2.5 Ah with charging indicator.
- USB charging cable A / C.



Item no.	Luminous flux	Light duration max.
1173090100	1.000 lm	13 h



- IP 65 - dust-tight and protected against water-jets.
- Colour temperature: 6500 K.
- Light duration up to max. 13 hours.

Battery LED Light LUFOS

With infrared motion detector.



Battery LED Light LUFOS

- LED spotlight extremely flexible through battery operation.
- With extremely bright OSRAM LED.
- Switch for setting the light function:
Auto 100 % - Auto 50 % - off.
- PIR sensor with max 180° angle of reach (horizontal) and max. of 10 m of surrounding.
- Switch-on duration can be set up to 30 seconds.
- Service life with one set of batteries about 800 days with 6 switch-ons daily.
- Light head can be tilted and swivelled.
- Easy to install.

Item no.	Luminous flux	Light duration max.
1178900100	440 lm	19.320 h
1178900200	2x 240 lm	19.320 h



- IP 44 - protected against foreign bodies of 1 mm and against splashing water.
- 90 % beam angle.
- Light duration up to max. 19320 hours.

LED Round- and Oval Lamp

With and without infrared motion detector.



LED Round- and Oval Lamp

- Compact LED oval lamp made of plastic with a translucent cover.
- Ceiling and wall mounting possible.
- User-friendly assembly thanks to external, water-tight connection terminal.
- LEDs have a very long lifespan, are shock-proof and maintenance-free.

Lamp with PIR sensor:

- Detection range up to 8 m, detection angle approx. 100°.
- Switch-on duration can be set up to 60 seconds.

Item no.	Luminous flux	PIR sensor
1270790010	1.600 lm	No - IP 65
1270790110	1.600 lm	Yes - IP 54
1270780010	1.600 lm	No - IP 65
1270780110	1.600 lm	Yes - IP 54



- IP 65 - dust-tight and protected against water-jets.
- IP 54 - dust-protected and protected against splashing water.
- Classic, timeless housing.
- Also available with motion detector.
- High light diffusion due to 90 % beam angle.
- Adjustable to permanent light.

LED Rechargeable Outdoor Light

With Bluetooth® Speaker.



LED Rechargeable Outdoor Light OLI 310 AB with Bluetooth® Speaker

- Highly versatile for use in the house, in the garden, when camping and for outdoor activities.
- Integrated Bluetooth® speaker with exceptional sound quality.
- Powerbank function: USB charging port 1 A for devices with USB charging cable such as smartphones, tablets, etc.
- Switch with functions: 100 % - 40 % - 10 % - red - red flashing.
- With USB charging cable.
- Integrated Li-Ion battery 3.7 V/4 Ah with charging indicator.
- Fixing possibilities by magnet and hook.



Item no.	Luminous flux	Light duration max.
1171640	350 lm	54 h



- IP 44 - protected against foreign bodies of 1 mm and against splashing water.
- Fast connection via Bluetooth®.
- Colour temperature: 4000 K.
- Light duration max. 54 hours.
- With red and warning light.
- Music and light function can be used independently.

LED Rechargeable Hand Lamp

Perfect light for professional surface assessment.



LED Rechargeable Hand Lamp HL 700 AT

- Ideal for the assessment of painted vehicle surfaces and coated surfaces of painting works.
- With super-bright COB LED at the front.
- Additional switching step for 1 SMD LED in the lamp head.
- Selectable light colour 2700 - 4500 - 6500 K with maximum colour rendering 15CRI 96.
- Continuous dimming function 10 % to 100 % for particularly long lighting duration.
- Rubberised for improved impact resistance and optimal grip
- Adjustable up to +/- 90° with integrated magnet.
- With USB charging cable.
- Integrated Li-Ion battery 3.7 V/4,4 Ah with status and charging indicator.



Item no.	Luminous flux	Light duration max.
1175570	700 + 170 lm	24 h



- IP 54 - dust-protected and protected against splashing water.
- Highest light quality for painters and varnishers, evaluators and car repair shop.
- With memory function for the last used status.
- Colour temperature: 6500 K.
- Light duration max. 24 hours.
- On/Off switch on the back.
- High shock resistance IK 08.

LED Rechargeable Hand Lamp

The best quality with excellent lighting capacity.

LED Rechargeable Hand Lamp HL 500 A



- 6 super bright SMD LEDs on the front give up to 3 hours of light when fully charged.
- Additional switching step for 1 SMD LED in the lamp head.
- Functions: Spot - 100 % - 50 %.
- Rubber-clad housing.
- Base foot can be folded up to 200° with an integrated magnet.
- 2 magnets on the back and two hooks that can be rotated 360° for flexible use.
- Integrated Li-Ion battery 3.7 V/2.5 Ah with charging indicator.
- USB charging interface.
- With ON/OFF switch.
- With USB charging cable.
- In colourful display-packaging, 6 pieces per package.



Item no.	Luminous flux	Light duration max.
1175670100	500 lm	10 h



- Light and robust work lamp.
- Ideal for use in camping / caravans and in the automotive industry.
- Colour temperature: 6500 K.
- Light duration max. 10 hours.
- High shock resistance IK 07.

LED Rechargeable Hand Lamp

Best performance in the smallest format.



LED Rechargeable Hand Lamp PL 200

- Super bright COB LED with up to 12 h light duration.
- Extensive functions: 100 % - 40 % - 10 % - red - red flashing.
- With practical clip and magnet in the foot.
- Integrated Li-Pol battery 3.7 V/450 mAh with charging indicator.
- With USB charging cable.
- In colourful display-packaging, 10 pieces per package.



Item no.	Luminous flux	Light duration max.
1175590	200 lm	12 h



- Colour temperature: 6500 K.
- Light duration max. 12 hours.
- Fits perfectly in every breast pocket.
- The red light function is perfect for anglers or hunters.
- With the flashing function the light generates the attention of the helper in an emergency situation.

LED Workshop Rechargeable Light

Flexible use with excellent light.



LED Workshop Rechargeable Light WL 500 A

- Ideal for workshop and hobby applications.
- 12 super bright Seoul SMD LEDs.
- Functions: 100 % - 40 % - 10 % for long lighting duration.
- With ON/OFF switch.
- With ergonomic rubber handle.
- Sturdy, extendable and rotatable hook and magnet in the stand.
- Impact- and break-resistant protective shell.
- Integrated Li-Ion battery 3.7 V/2.2 Ah with charging indicator.
- With USB charging cable.



Item no.	Luminous flux	Light duration max.
1175580	520 lm	24 h



- IP 54 - dust-protected and protected against splashing water.
- Compact hand lamp.
- Colour temperature: 6500 K.
- Light duration max. 24 hours.
- On/Off switch on the back.
- High shock resistance IK 07.


LuxPremium LED Rechargeable Headlamp

Multi-functional with very simple operation.



LuxPremium LED Rechargeable Sensor Headlamp SL 400 AF

- With extremely bright OSRAM LED.
- Two operating modes: manual and infrared sensor for contactless switch-on.
- Headlight with continuous focus 100 % / 50 % / 10 % / red / red SOS.
- Tail light red, red flashing.
- Battery pack at the back of the head for good balance.
- Exchangeable lithium-ion battery 3.7 V/2.6 Ah with charging indicator.
- Focus angle can be adjusted.
- With USB charging cable.



Item no.	Luminous flux	Light duration max.
1177310	400 lm	50 h



- IP 44 - protected against foreign bodies of 1 mm and against splashing water.
- Red light function for fishermen and hunters.
- Also suitable for the automotive and outdoor sector.
- Colour temperature: 6500 K.
- Light duration max. 50 hours.
- Pressing continuously activates the gesture switch on the lamp.
- With hinged hook.



www.brennenstuhl.com